

A cut-free proof system for pseudo-transitive modal logics

Sonia Marin and Lutz Straßburger

Inria

It is well known that Kripke semantics allows logicians to draw links between modal axioms and frame properties. For example, a modal logic obeys the axiom

$$4: \Box A \supset \Box \Box A$$

if and only if all its models have a transitive frame.

More generally, a Kripke frame is said to be (m, n) -transitive, or simply *pseudo-transitive* (if n and m are clear from context), if its accessibility relation R satisfies $R^n \subseteq R^m$, where R^n is defined as R composed n times with itself¹.

We call K_n^m the logic obtained from the basic modal logic K by adding the axiom 4_n^m :

$$4_n^m: \Box^m A \supset \Box^n A$$

where $\Box^n A$ is defined inductively as $\Box^0 A = A$ and $\Box^{n+1} A = \Box(\Box^n A)$, i.e. 4_2^1 is just the 4-axiom shown above. The theorems of K_n^m are exactly the modal formulas valid in all (m, n) -transitive frames. In this talk, we give a cut-free proof system for any such pseudo-transitive modal logic.

Many different proposals have been made to automate the design of cut-free proof systems in modal logic; for example, using logical rules in nested sequents [Brü09, Str13] or in the similar framework of tree-hypersequents [Pog09], structural rules in hypersequents [Lah13], or a mixture of structural and logical rules in nested sequents [MS14]. Recently, Fitting [Fit14] introduced an alternative approach, using structural rules in *indexed nested sequents*, that might finally provide a general translation of axioms into rules.

A nested sequent is a multiset of formulas² and *bracketed* nested sequents. It can be seen as the generalisation of sequents to a structure of tree.

Example 1. The sequent $\Gamma = A, [B, [D]], [C]$ can be interpreted as the formula $A \vee \Box(B \vee \Box D) \vee \Box C$. The comma corresponds to \vee and the brackets to \Box .

An indexed nested sequent is then a nested sequent where each node carries an *index*, that is a natural number. We write the index as superscript to the opening bracket.

Example 2. $\Gamma = A, [^1 B, [^2 D]], [^3 D, [^1 C, [^4 A]]]$

¹ The composition of two binary relations R, S on a set W is: $R \circ S = \{(w, v) \in W \times W \mid \exists u. wRu \wedge uSv\}$.

² We consider only formulas in negation normal form, generated from atoms a, b, c, \dots , negated atoms $\bar{a}, \bar{b}, \bar{c}, \dots$, via the usual connectives $\wedge, \vee, \Box, \Diamond$.

Since the same index can appear on different nodes, it generalises the structure of trees to more general graphs, depending on the conditions on the indexing. For example, if we disallow the same index to appear twice on a branch of the sequent tree, then the indexed sequent behaves like a directed acyclic graph (dag).

Like in the nested sequent framework, we use a notion of *context*, a sequent with one or several holes that can be filled with another sequent. In this indexed framework, each hole carries the same index as the bracket it appears in.

Example 3. For example $\Gamma^1\{\ }^2\{\ } = A, [^1B, [^2\{\ }], [^3D, [^1\{\ }]]]$ is a binary context. If we plug the sequents $\Delta = E$ and $\Sigma = F, [^4G]$ into its holes, we get:

$$\Gamma^1\{\Delta\}^2\{\Sigma\} = A, [^1B, [^2E]], [^3D, [^1F, [^4G]]] \quad .$$

The following rules are exactly the ones introduced in [Brü09] for modal logic K, except that here we add the indexes, and demand that in the \Box -rule the index v does not appear in the conclusion:

$$\begin{array}{c} \text{id} \frac{}{\Gamma\{a, \bar{a}\}} \quad \vee \frac{\Gamma\{A, B\}}{\Gamma\{A \vee B\}} \quad \wedge \frac{\Gamma\{A\} \quad \Gamma\{B\}}{\Gamma\{A \wedge B\}} \\ \Box \frac{\Gamma\{[{}^v A]\}}{\Gamma\{\Box A\}} \quad \Diamond \frac{\Gamma\{\Diamond A, [{}^u A, \Delta]\}}{\Gamma\{\Diamond A, [{}^u \Delta]\}} \end{array} \quad (1)$$

In the indexed setting, we also need the following two rules that allow to move formulas and brackets between nodes of the same index:

$$\text{tp} \frac{\Gamma^w\{\emptyset\} \quad {}^w\{A\}}{\Gamma^w\{A\} \quad {}^w\{\emptyset\}} \quad \text{bc} \frac{\Gamma^w\{[{}^u \Delta]\} \quad {}^w\{[{}^u \]\}}{\Gamma^w\{[{}^u \Delta]\} \quad {}^w\{\emptyset\}} \quad (2)$$

So far, we did not yet make actual use of the indexing. The point is that indexing allows us to construct a rule that corresponds to the axiom 4_n^m . It can be written as:

$$\dot{4}_n^m \frac{\Gamma\{[{}^{v_m} \dots [{}^{v_2} [{}^w \]]]\}, [{}^{u_n} \dots [{}^{u_2} [{}^w \Delta_1], \Delta_2], \dots \Delta_n\}}{\Gamma\{[{}^{u_n} \dots [{}^{u_2} [{}^w \Delta_1], \Delta_2], \dots \Delta_n\}} \quad (3)$$

where the indexes v_2, \dots, v_m must not appear in the conclusion³.

The rules shown in (1), (2), and (3) together form *system* NK_n^m . Our main result is that it is sound and complete with respect to the logic K_n^m .

Theorem 1 (Soundness and Completeness). *A formula A is a theorem of K_n^m if and only if it is derivable in NK_n^m .*

The proof of soundness is rather straightforward. The completeness proof however uses a more involved syntactic cut-elimination procedure within indexed nested sequents.

³ It is a special case of the rule $G^{k,l,m,n}$ introduced in [Fit14].

Theorem 2 (Cut-Elimination). *If a sequent Γ is derivable in NK_n^m together with the cut-rule*

$$\text{cut} \frac{\Gamma\{A\} \quad \Gamma\{\bar{A}\}}{\Gamma\{\emptyset\}}$$

then it is also derivable in NK_n^m without cut.

The standard cut-elimination procedure (permuting the cut up until the cut-formula is principal on both sides, and then reduce the cut-rank) is not applicable in the presence of the **tp**-rule, that does not decrease the depth of the active formula from conclusion to premise. Therefore, we rather prove cut-elimination for a system $\check{\text{NK}}_n^m$ in which the **tp**-rule is admissible. This system is obtained from NK_n^m by replacing the identity rule and the \diamond -rule as follows:

$$\text{id} \frac{}{\Gamma^u\{a\}^u\{\bar{a}\}} \quad \check{\diamond} \frac{\Gamma^u\{\diamond A\}^u\{[A, \Delta]\}}{\Gamma^u\{\diamond A\}^u\{[\Delta]\}} \quad (4)$$

Since we can show that a sequent is provable in NK_n^m if and only if it is provable in $\check{\text{NK}}_n^m$, cut elimination for NK_n^m follows immediately from cut elimination for $\check{\text{NK}}_n^m$.

An advantage of cut-free sequent-like systems is their usability for proof search. We are currently working on decision procedures for pseudo-transitive modal logics⁴ using the system presented here.

References

- [Brü09] Kai Brunnler. Deep sequent systems for modal logic. *Archive for Mathematical Logic*, 48(6):551–577, 2009.
- [Fit14] Melvin Fitting. Cut-free proof systems for Geach formulas. preprint, 2014.
- [Lah13] Ori Lahav. From frame properties to hypersequent rules in modal logics. In *28th Annual ACM/IEEE Symposium on Logic in Computer Science, LICS 2013*, pages 408–417, 2013.
- [MS14] Sonia Marin and Lutz Straßburger. Label-free Modular Systems for Classical and Intuitionistic Modal Logics. In *Advances in Modal Logic 10*, Groningen, Netherlands, August 2014.
- [Pog09] Francesca Poggiolesi. The method of tree-hypersequents for modal propositional logic. In D. Makinson, J. Malinowski, and H. Wansing, editors, *Towards Mathematical Philosophy*, volume 28 of *Trends in Logic*, pages 31–51. Springer, 2009.
- [Sha10] Ilya Shapirovsky. Simulation of two dimensions in unimodal logics. In Lev Beklemishev, Valentin Goranko, and Valentin Shehtman, editors, *Advances in Modal Logic, Volume 8*, pages 371–391. College Publications, 2010.
- [Str13] Lutz Straßburger. Cut elimination in nested sequents for intuitionistic modal logics. In Frank Pfenning, editor, *FoSSaCS’13*, volume 7794 of *LNCS*, pages 209–224. Springer, 2013.

⁴ In [Sha10] their decidability is mentioned as an open problem.